

VINYL • ALUMINUM • WOOD • RAILING • ACCESSORIES

ForrestFencing.com

# CONTENTS



# Mission Statement

To provide quality products and customer service in a professional manner that meets or exceeds our customers' every expectation.

Forrest Fence is a small, family fencing company in Felton, Delaware owned by United States Military Veteran, John Forrest and his wife, Karen. In fact, much of John's military experience has transitioned over to the way he manages his business today. Respect, honor, precision and excellence is what he hopes to achieve in every interaction the company has with the customers we have the pleasure of doing business with.

Founded in 2004, John worked weekends to get his business off the ground while being on active duty at Dover Air Force Base. His dedication and hard work paid off. By the time his service in the military was complete, his company had grown significantly. Now, years later, it has become one of the most trusted, respected, and successful fencing companies in Delaware. We serve all of Delaware and the Eastern Shore of Maryland with our residential product line and travel to several different states for our commercial work.

We take pride that our quality, range of products, professional installers and excellent customer service is what sets Forrest Fence apart from the rest and builds a relationship with customers that will help us continue to grow for many years to come.






Stop by our showroom for expert guidance and design inspiration.




# **PRIVACY**











Langhorne Narrow





Langhorne Square Lattice





Bristol

# Adams Straight










Adams Arched



**Adams Stepped** 

Our vinyl fence won't rust, rot, crack or peel and never needs painting.

# Heights

3', 4', 5', 6', 7', and 8'

# Widths

6' and 8' wide panels

# Posts

5" x 5"

# **Colors**

White, Almond, Khaki, Green Teak, Earl Gray, Mocha Walnut, Driftwood

# **Pickets**

7/8" x 6" Tongue & Groove Accent top pickets are 7/8" x 1-1/2" or 1-1/2" x 1-1/2"

# Rails

# Penndel

7" slotted top rail

Double-slotted mid-rail on 7' and 8' high fences 7" slotted bottom rail with aluminum insert for reinforcement

# All Other Vinyl Privacy Fence Styles

2" x 3-1/2" top rail

7" slotted mid-rail

Double-slotted mid-rail on 8' high fences 7" slotted bottom rail with aluminum


insert for reinforcement




Combine colors for a unique look!

# 6" SEMI-PRIVACY





**Grace Picket** 



Grace Scallop Picket





2" x 3½" Rail



<sup>7</sup>/8" x 3" Picket



<sup>7</sup>/8" x 6" Picket

# Heights

3', 4', 5', 6', 7', and 8'

# Widths

6' and 8' wide panels

### **Posts**

5" x 5"

# Colors

White, Almond, Khaki

### **Pickets**

7/8" x 6" Ribbed

Accent top pickets are 7/8" x 1-1/2" or 1-1/2" x 1-1/2"

1/2" picket spacing

# Rails

# Grace

2" x 6" ribbed top rail

2" x 3-1/2" mid-rail on 6', 7', and 8' high fences

2" x 6" ribbed bottom rail with aluminum insert for reinforcement

# Grace Picket and Grace Scallop Top

2" x 3-1/2" top rail

2" x 3-1/2" mid-rail on 6', 7', and 8' high fences

2" x 3-1/2" bottom rail with aluminum insert for reinforcement

# Grace Closed Top, Grace Closed Picket, Grace Closed Scallop, Grace w/Lattice


2" x 3-1/2" top rail


2" x 6" ribbed mid-rail


2" x 3-1/2" second mid-rail on 8' high fences


2" x 6" ribbed bottom rail with aluminum insert for reinforcement

# Grace w/Lattice










Grace Open Picket




Grace Closed Top


# 3" SEMI-PRIVACY




easy assembly.



Egan Closed Top



Egan Open Scallop



Egan w/Lattice

Accent top reveal is 12" high on all styles.

# **Heights**

3', 4', 5', 6', 7', and 8'

# Widths

6' and 8' wide panels

### **Posts**

5" x 5"

### **Colors**

White, Almond, Khaki, Green Teak, Earl Gray, Mocha Walnut, Driftwood

# **Pickets**

7/8" x 3" Hollow

Accent top pickets are 7/8" x 1-1/2" or 1-1/2" x 1-1/2"

1/2" picket spacing

# Rails

# Egan

2" x 6" ribbed top rail

2" x 3-1/2" mid-rail on 6', 7', and 8' high fences

2" x 3-1/2" second mid-rail on 7' and 8' high fences 2" x 6" ribbed bottom rail with aluminum insert for

# Egan Closed Top, Egan Closed Scallop, and Egan w/Lattice

2" x 3-1/2" top rail

reinforcement

2" x 6" ribbed mid-rail

2" x 3-1/2" second mid-rail on 8' high fences 2" x 6" ribbed bottom rail with aluminum insert for reinforcement


# Egan Pickett and Egan Scalloped Picket

2" x 3-1/2" top rail


2" x 3-1/2" mid-rail on 6', 7', and 8' high fences

2" x 3-1/2" bottom rail with aluminum insert for reinforcement

Optional bottom rail: 2" x 6" ribbed rail with aluminum insert




Egan Picket




Egan Scalloped Picket




# POOL & YARD






Longview Narrow









**Madison Narrow** 



Alternate picket widths for a design of distinction.



Washington



Jefferson

# Heights

3', 4', 5', 6', 7', and 8'

48" pool code height (confirm your local regulations)

# Widths

6' and 8' wide panels

### **Posts**

5" x 5" (4" x 4" Optional)

# Colors

White, Almond, Khaki, Green Teak, Earl Gray, Mocha Walnut, Driftwood

# **Pickets**

# Longview

7/8" x 3" hollow pickets, 3" spaces

# Longview Narrow

7/8" x 3" hollow pickets, 1-3/4" spaces

# Madison

7/8" x 1-1/2" pickets, 3" spaces

# Madison Narrow

7/8" x 1-1/2" pickets, 1-3/4" spaces

# Washington

Alternating pickets of 7/8" x 1-1/2" and 7/8" x 6" pickets, 1-1/4" spaces

# Jefferson

Alternating pickets of 7/8" x 1-1/2" and 7/8" x 3" pickets, 1-3/4" spaces

# Rails

2" x 3-1/2" hollow top rail

2" x 3-1/2" hollow mid-rail on 6', 7', and 8' high fences


2" x 3-1/2" hollow bottom rail with aluminum insert

for reinforcement


Optional bottom rail: 2" x 6" ribbed rail with aluminum insert







Poplar Scalloped



Poplar Scalloped Narrow

# **Heights**

3', 4', 5', and 6'

### Widths

6' and 8' wide panels

### **Posts**

5" x 5" (4" x 4" optional)

# Colors

White, Almond, Khaki, Green Teak, Earl Gray, Mocha Walnut, Driftwood

# **Pickets**

Poplar Narrow, Poplar Scalloped Narrow, and Poplar Arched Narrow 7/8" x 3" hollow pickets, 1-3/4" spaces

Poplar, Poplar Scalloped, and

# Poplar Arched

7/8" x 3" hollow pickets, 3" spaces

# Rails

2" x 3-1/2" hollow top rail 2" x 3-1/2" hollow mid-rail on 6' high fences


2" x 3-1/2" hollow bottom rail with aluminum insert for reinforcement

Optional bottom rail: 2" x 6" ribbed rail with

aluminum insert




Poplar




Dog Ear Cap

Sharp Cap

Poplar Narrow



Poplar Arched




Poplar Arched Narrow


Our vinyl is never recycled, meaning the appearance and integrity of our vinyl fences stay true throughout the life of the product.


# CLASSIC 1½" PICKET



Gallagher Straight







Gallagher Stepped Gallagher Scalloped

Gallagher Arched

# Heights

3', 4', 5', and 6'

# Widths

6' and 8' wide panels

# **Posts**

5" x 5" (4" x 4" optional)

# **Colors**

White, Almond, Khaki

# **Pickets**

1-1/2" x 1-1/2" hollow pickets with pyramid caps

1-3/4" picket spacing

# **Rails**

2" x 3-1/2" hollow top rail

2" x 3-1/2" hollow mid-rail on 6' high fences

2" x 3-1/2" hollow bottom rail with aluminum insert for reinforcement

Optional bottom rail: 2" x 6" ribbed rail with aluminum insert



Our routed system eliminates unsightly brackets.




1½"x1½"Hollow Picket



Pyramid Cap



# LATTICE



# Heights

3', 4', 5', 6', 7', and 8'

### Widths

6' and 8' wide panels

# **Posts**

5" x 5"

# Colors

Peachtree – White, Almond, Khaki

Woodfield - White

# Rails


2" x 6" ribbed top rail

2" x 6" ribbed mid-rail for fences 5', 6', 7', and 8' high

2" x 6" ribbed bottom rail (aluminum insert is optional)

2" x 3-1/2" optional top & bottom

# POST & RAIL



# Vinyl Fencing Available Colors














# PORCH RAILING

# **Standard Heights** 36" and 42" **Standard Lengths** 4', 5', 6', 8', and 10' **Standard Stair Rail Slopes** 29" - 35" and 36" - 41" Custom radius bends are available for curved vinyl railing designs. Gates are available in all sizes. Rails Top T-Rail - 3-1/2"w x 3-1/2"h, Aluminum-Reinforced Bottom Rail - 2"w x 3-1/2"h (Aluminum insert is optional)



Our aluminumreinforced Porch Railing complies with ICC ESR-3415 test specifications, guaranteeing safety and durability.

# **Brackets**



Stair-Upper

Stair-Lower

Multi-Angle

# POST CAPS & POSTS



Create a stylish appearance with the addition of decorative or lighted post caps.





Horse (Standard)








Federation



Hampton



Standard post sizes are 4" x 4" and 5" x 5" Custom sizes are available for unique projects Aluminum post stiffeners are available and are recommended for gate support posts





New England Traditional



New England Classic



Cambridge Low Voltage or Solar



Starr - 4" Only Low Voltage or Solar



Easton - 5" Only Low Voltage or Solar



Cape May Solar Only

NATURAL WOOD

# **GATES & HARDWARE**

# Matching gates & hardware are available for all styles of our vinyl fencing.

All Gate Hardware Available in Black or White

20

### **Gate Latches & Locks:**

### LokkLatch

- LokkLatch®
- MagneticLokkLatch®
- PRO.SLLokkLatch®
- DeluxeLokkLatch®LokkLatch® Round

# MagnaLatch

- MagnaLatch® Series 3 ALERT Top Pull
- MagnaLatch® Series 3 ALERT Vertical Pull
- MagnaLatch® Series 3 Top Pull
- MagnaLatch® Series 3 Vertical Pull

### T-Latch

- T-Latch®

# **Gate Hinges:**

### **TruClose Regular**

- TruClose Regular Standard
- TruClose Regular Alignment Legs
- TruClose Regular Mini Multi
- TruClose Regular Round Post
- TruClose Deco Mold

# **TruClose Heavy Duty**

- TruClose Heavy Duty Standard
- TruClose Heavy-Duty Alignment Legs
- TruClose Heavy-Duty Multi-Adjust
- TruClose Heavy Duty Round Post

### **KwikFit**

- KwikFit Aluminum
- KwikFit -Plain Pivoting
- KwikFit- Fixed Tension

# **Gate Accessories:**

- Gate Stop
- Keeps gate aligned
- Protects against gate-slam noise & damage

### **Gate Handles**

- Convenient gate opening & closing
- Fits all gates, left and right gate openings
- Simple & stylish

### **Drop Bolts**

- Q-Bolt
- LokkBolt

### **Security Locks**

- PullBolt
- PullBolt lock Face Mounting
- PullBolt lock Side Mounting



















# **Wood Types**

Western Red Cedar, Northern White Cedar, or Pressure Treated Southern Yellow Pine

### **Picket Width**

1" x 4" or 1" x 6"

# **Backer Rails**

2" x 4"

# **Lattice Tops**

2" x 3" Frame, Diagonal or Square

1" x 6" Tongue & Groove


# **Split Rail**

Locust or Pressure Treated Available



# Spaced Picket











# Solid Board

Straight Top



Shadow Box

Straight Top

Lattice Top





Concave





Convex

Split Rail





Post Tops







Dog Ear






Diagonal Square

21


French Gothic

# ALUMINUM





Pool Code Aluminum Fence is available in all styles



# Aluminum Fencing Color Options





**Bronze** 



Black

(

White

Residential:		Commercial:		Industrial:	
Posts		Posts		Post	
2" x 2"	.060 Wall	2" x 2"	.060 Wall	2-1/2" x 2-1/2"	.080 Wall
2" x 2"	.080 Wall	2" x 2"	.080 Wall	2-1/2" x 2-1/2"	.125 Wall
2-1/2" x 2-1/2"	0.80 Wall	2-1/2" x 2-1/2"	0.80 Wall		
2 -1/2 x 2-1/2	.125 Wall	2-1/2" x 2-1/2"	.125 Wall		
<b>Rails</b> 1" x 1" Rail	0.80 Wall	<b>Rails</b> 1-1/4" x 1-1/4" Rail	0.80 Wall	<b>Rails</b> 1-5/8" x 1-5/8" Rail	.100 Wall
Pickets		Pickets		Pickets	
5/8" x 5/8" Picket	0.45 Wall	3/4" x 3/4" Picket	.050 Wall	1" x 1" Picket	0.60 Wall
Picket Spacing 3-13/16"		Picket Spacing 3-13/16"		Picket Spacing 3-13/16"	
<b>Height</b> 3', 4', 4.5', 5'		<b>Height</b> 3', 4', 4.5', 5', 6', 7', 8'		<b>Height</b> 6', 7', 8'	





# Contact Forrest Fence today!

Kent County: (302) 284-9674 - Sussex County (302) 644-4695

E-mail: sales@forrestfencing.com

Visit us in-person!

9867 S. Dupont Hwy., Felton, DE 19943

Use our web contact form, request a meeting, or visit our FAQs at:

www.ForrestFencing.com